

DS Series



- ★ 15" / 17.0" / 20.1" TFT-LCD Monitor.
- ★ Internet Connect or memory Card
(Support CF Card & USB Memory)
- ★ Support image, Audio and Video.
- ★ Firmware upgradeable from memory card.

*Non PC operations only need to connect with screen
then you can watch movies, listen music.*

<http://www.gpegkorea.com/>

GPEG K&M LTD


Suite 405, DAERUNG Techno Town 12,
327-32, Gasan-Dong, Gumchun-Ku, Seoul, KOREA
Tel : 82-2-868-5715, Fax : 82-2-868-5788
e-mail : sales@gpegkorea.com




Specifications

Model		DS-150	DS-170	DS-201
PANEL	Display Type	TFT LCD Panel		
	Max. Resolution	1024 x 768 (XGA)	1280 x 1024 (SXGA)	1600 x 1200 (UXGA)
	Screen size	15 Inch	17.0 Inch	20.1 Inch
	Display Colors	16.7M Colors	16.7M Colors	16.7M Colors
	Pixel Pitch	0.297x0.297 mm	0.264 x 0.264 mm	0.255 x 0.255 mm
	Brightness	250cd/m ²	300cd/m ²	250cd/m ²
	Contrast Ratio	400 : 1 (typical)	500 : 1 (typical)	400 : 1 (typical)
	Viewing Angle (L/R,U/D-Typ.)	65°/65° & 45°/55°	70°/70° & 70°/60°	88°/88° & 88°/88°
	Display Area	302.0 x 228 mm	337.92 x 270.34 mm	408.0 x 306.0 mm
Input	AC Adapter Input	AC 100V~240V, 50~60 Hz		
	AC Adapter output	12V DC	12V DC	
	Power consumption	40W(on), < 5W(Stand by, Sleep)		75W(on), < 5W(Stand by, Sleep)
	Memory Card I/F	Support CF Card (Recommend)		
Resolution Support		640 x 480 @ 60Hz		
Card Reader Player	Image Format	JPG (1/3/5/10 sec.)		
	Audio Format	MP3		
	Video Format (Until 640x480)	MPEG1, MPEG2, MPEG4(Till DIVX 5.1.1); Motion JPEG.		
	Function	Image display : Slide Show, Auto Slide Show, Preview, Zoom, Rotate and so on. Slide Show MP3 background music supported.		
Speaker		2W x 2		
Operating Temperature		0~40°C		
Storage Temperature		-20~60°C		
Operating Humidity		10 ~ 90%(Non Condensing)		
Dimension (mm)		302.4 x 232.4 x 49	394.5 x 312.6 x 57.4	460 x 350 x 60.2
Weight (NET)		TBD	TBD	TBD
Standard accessories		AC adapter, Power cord		
Option	VESA ARM	75 x 75 mm	100 x 100 mm	
	Others	USB Port, Remote Control		

MV150



MV170



MV201

