

6.4" Panel Mounting Touch Monitor

6.4
inch

G064



- ★ 6.4" TFT-LCD Monitor
- ★ Resolution :640 x 480 (VGA)
- ★ Touch Screen : 5-Wire Resistive Type

www.gpegkorea.com

GPEG K&M LTD

Suite 405, DAERUNG Techno Town 12,
327-32, Gasan-Dong, Gumchun-Ku, Seoul, KOREA
Tel : 82-2-868-5715, Fax : 82-2-868-5788
e-mail : sales@gpegkorea.com

GPEG K&M
● ● ●

G064 Specification

6.4" Panel Mounting Touch Monitor

PANEL	Display Type	TFT LCD Panel
	Max. Resolution	640 x 480 (VGA)
	Screen size	6.4 Inch
	Display Colors	262,144 Colors
	Pixel Pitch	0.204 x 0.204 mm
	Brightness	250cd/m ² (Typical)
	Contrast Ratio	400 : 1 (Typical)
	Viewing Angle (L/R&U/D)	65°/65°&50°/60°(Typical)
	Display Area	246 x 184.5 mm
Input Signal	Standard	Analog RGB (D-Sub 15pin)
	Video Signal (optional)	Video (Composite & S-Video)
	Recommended	640 x 480 @ 60Hz
Plug & Play		DDC1 / DDC2B
Power saving		VESA DPMS
Power supply adapter	Input	AC 100V ~ 240V, 50 ~ 60 Hz
	Output	12V DC
Operating Temperature		0 ~ 40°C
Storage Temperature		-20 ~ 60°C
Operating Humidity		10%RH ~ 90%RH
Dimension		217 x 156 x 37 mm
Weight (NET)		About 1 kg
Standard accessories		VGA cable, AC adapter, Power cord, Touch cable, Touch CD-ROM
Touch Screen	Touch Screen	5-wire resistive
	Touch Interface	USB or RS232

Notice : Designs & Specifications are subject to change without notice

