

7.0" Panel Mounting Touch Monitor

7.0
inch

G070



- ★ 7.0" Wide TFT-LCD Monitor
- ★ Resolution :800 x 480 (WVGA)
- ★ Touch Screen : 5-Wire Resistive Type

www.gpegkorea.com

GPEG K&M LTD

Suite 405, DAERUNG Techno Town 12,
327-32, Gasan-Dong, Gumchun-Ku, Seoul, KOREA
Tel : 82-2-868-5715, Fax : 82-2-868-5788
e-mail : sales@gpegkorea.com



G070 Specification

7.0" Panel Mounting Touch Monitor

PANEL	Display Type	TFT LCD Panel
	Max. Resolution	800 x 480 (WVGA)
	Screen size	7.0 Inch
	Display Colors	262,144 Colors
	Pixel Pitch	0.1905 x 0.1905 mm
	Brightness	250cd/m ² (Typical)
	Contrast Ratio	400 : 1 (Typical)
	Viewing Angle (L/R&U/D)	70°/70°&45°/55°(Typical)
	Display Area	152 x 91 mm
Input Signal	Standard	Analog RGB (D-Sub 15pin)
	Video Signal (optional)	Video (Composite & S-Video)
	Recommended	800 x 480 @ 60Hz
Plug & Play		DDC1 / DDC2B
Power saving		VESA DPMS
Power supply adapter	Input	AC 100V ~ 240V, 50 ~ 60 Hz
	Output	12V DC
Operating Temperature		0 ~ 50°C
Storage Temperature		-20 ~ 70°C
Operating Humidity		10%RH ~ 90%RH
Dimension		180 x 135 x 35 (W x H x D)
Weight (NET)		0.6 Kg (about)
Standard accessories		VGA cable, AC adapter, Power cord, Touch cable, Touch CD-ROM
Touch Screen	Touch Screen	5-wire resistive
	Touch Interface	USB or RS232
Option	AV	S-Video & Composite
	Speaker	2W x 4Ω

Notice : Designs & Specifications are subject to change without notice

